


MC-PK14L-B



Low-Profile Co-location Platform Kit, 14 ft face, 30 in to 60 in OD, pipe ordered separately

OBSOLETE

This product was discontinued on: August 18, 2022

Replaced By:

MC-PK14M-B

Low-Profile Co-location Platform Kit, 14 ft face, 12 in to 50 in OD, pipe ordered separately

Product Classification

Product Type Monopole platform kit

General Specifications

Mounting Monopole, 762–1524 mm (30–60 in) OD

Pipe, quantity 0

Sectors, quantity 3

Dimensions

Height 254 mm | 10 in

Face Width 4.42 m | 14.5 ft

Width 4,419.6 mm | 174 in

Length 914.4 mm | 36 in

Face Support Pipe Diameter 88.9 mm | 3.5 in

Mounting Diameter, maximum 1524 mm | 60 in

Mounting Diameter, minimum 762 mm | 30 in


Pipe Outer Diameter 0 mm | 0 in

Mounting Circumference, maximum 4,785.36 mm | 188.4 in

Mounting Circumference, minimum 2,392.68 mm | 94.2 in

MC-PK14L-B

Outline Drawing



Material Specifications

Material Type	Hot dip galvanized steel
----------------------	--------------------------

Mechanical Specifications

Wind Rating	120 mph (BWS) at 150 ft AGL 140 mph (3-second gust) at 150 ft AGL using Exposure D per FBC
--------------------	----------------------------------------------------------------------------------------------

Wind Rating Test Method	TIA/EIA-222
--------------------------------	-------------

Packaging and Weights

Included	Pipe mounts Platform Ring mount
-----------------	-------------------------------------

Packaging quantity	1
---------------------------	---

Weight, net	684.879 kg 1,509.9 lb
--------------------	-------------------------

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

Included Products

MC-PK14L-B

MC-RM3060-3

MT-196-14L

- Universal Ring Mount, 30 in to 60 in OD
- Low Profile Co-location Large Base Platform, 14 ft face. Ring Mount & Antenna Pipes Sold Separately.

* Footnotes

Wind Rating

BWS—Base Wind Speed; FBC—Florida Building Code

MC-RM3060-3



Universal Ring Mount, 30 in to 60 in OD

Product Classification

Product Type	Universal ring mount
---------------------	----------------------

General Specifications

Mounting	Monopole, 762–1524 mm (30–60 in) OD
Pipe, quantity	0
Sectors, quantity	3

Dimensions

Height	254 mm 10 in
Length	152.4 mm 6 in
Mounting Diameter, maximum	1524 mm 60 in
Mounting Diameter, minimum	762 mm 30 in
Pipe Outer Diameter	0 mm 0 in
Mounting Circumference, maximum	4,785.36 mm 188.4 in
Mounting Circumference, minimum	2,392.68 mm 94.2 in

Material Specifications

Material Type	Hot dip galvanized steel
----------------------	--------------------------

Mechanical Specifications

Wind Rating	140 mph (BWS) at 150 ft AGL 160 mph (3-second gust) at 150 ft AGL using Exposure D per FBC
Wind Rating Criteria	Four 72 in x 8 in panel antennas per sector
Wind Rating Test Method	TIA/EIA-222

Packaging and Weights

Included	Mount Threaded rod
-----------------	----------------------

MC-RM3060-3

Packaging quantity	1
Weight, net	140.614 kg 310 lb

Regulatory Compliance/Certifications


Agency	Classification
CHINA-ROHS	Above maximum concentration value
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system
ROHS	Compliant/Exempted
UK-ROHS	Compliant/Exempted



* Footnotes

Wind Rating	BWS—Base Wind Speed; FBC—Florida Building Code
--------------------	------------------------------------------------

MT-196-14L



Low Profile Co-location Large Base Platform, 14 ft face. Ring Mount & Antenna Pipes Sold Separately.

Product Classification

Product Type	Monopole platform kit
---------------------	-----------------------

General Specifications

Mounting	Ring mount
-----------------	------------

Sectors, quantity	3
--------------------------	---

Dimensions

Height	254 mm 10 in
---------------	----------------

Face Width	4.42 m 14.5 ft
-------------------	------------------

Width	4,419.6 mm 174 in
--------------	---------------------

Length	914.4 mm 36 in
---------------	------------------

Pipe Length	0 mm 0 in
--------------------	-------------

Face Support Pipe Diameter	88.9 mm 3.5 in
-----------------------------------	------------------

Mounting Diameter, maximum	1524 mm 60 in
-----------------------------------	-----------------

Mounting Diameter, minimum	762 mm 30 in
-----------------------------------	----------------

Material Specifications

Material Type	Hot dip galvanized steel
----------------------	--------------------------

Mechanical Specifications

Wind Rating	120 mph (BWS) at 150 ft AGL 140 mph (3-second gust) at 150 ft AGL using Exposure D per FBC
--------------------	----------------------------------------------------------------------------------------------

Wind Rating Criteria	Four 72 in x 8 in panel antennas per sector
-----------------------------	---------------------------------------------

Wind Rating Test Method	TIA/EIA-222
--------------------------------	-------------

Packaging and Weights

Included	Platform
-----------------	----------

Packaging quantity	1
---------------------------	---

MT-196-14L

Weight, net 581.006 kg | 1,280.9 lb

Regulatory Compliance/Certifications

Agency	Classification
ISO 9001:2015	Designed, manufactured and/or distributed under this quality management system

* Footnotes

Wind Rating	BWS—Base Wind Speed; FBC—Florida Building Code
--------------------	------------------------------------------------